Referral for Applied Behavior Analysis

This resource is provided as a guide and courtesy only. Providers are not required to use this resource, the included checklists, sample treatment plan, or the sample treatment plan update.

As part of the Comprehensive Autism Care Demonstration, TRICARE requires a complete referral for Applied Behavior Analysis (ABA) that includes a definitive diagnosis of ASD from an approved ASD diagnosing provider (Primary Care Manager (PCM)) or specialized ASD diagnosing provider, to include a validated assessment tool and results submitted to the contractor. The DSM criteria must be documented in the DSM-5 diagnostic checklist. The complete referral must be submitted and approved prior to the commencement of ABA services.

This instruction outlines the minimum documentation criteria required for the initial and reauthorization requests for ABA services submitted to Humana Military. Providers are not required to use this form; however failure to provide necessary clinical information may result in delays, terminations of authorized care, and denials for pended claims. For complete guidance, please reference *TRICARE Operations Manual, Chapter 18, Section 4.*

Patient name:	
DOB (mm-dd-yyyy):	
Referring provider:	
Tax ID/NPI:	
ASD diagnosis including symptom severity level:	
Medical/Psychological co-morbidities:	
	Initial ASD diagnosis date:
Note: If the beneficiary was first diagnosed with ASD at age	e eight years or older a specialized ASD diagnosing provider evaluation is required
If patient is dependent of service member, is he/she regi	istered in Extended Care Health Option (ECHO)? ☐ Yes ☐ No
Service(s) requested:	

Units	Frequency (per day/ week/month)	CPT code	Description
		97151	Includes behavior identification assessment and treatment plan, to include 1 one unit for each completed outcome measures. Outcome measures include the PDDBI, PSI/SIPA, Vineland-3 and SRS-2.

Note: Please review the TRICARE Operations Manual and the CPT Code crosswalk for any maximum units billed or frequency limitations.





Clinical diagnosis: DSM-5 diagnostic checklist

Patient name:	DOB:	Sponsor ID:			
DSM-5 criteria				m Sp Disorc	ectrum der
Note: If the individual has a well-established DSM-IV diag PDD-NOS, please check this box. Complete the below che Spectrum Disorder.					
A. Persistent deficits in social communication and social by the following, currently or by history (all 3 must be		contexts, as manifested	Prese	nt	Not present
 Deficits in social-emotional reciprocity, ranging, for e of normal back-and-forth conversation; to reduced s initiate or respond to social interactions. 	• •				
 Deficits in nonverbal communicative behaviors used poorly integrated verbal and nonverbal communicat language or deficits in understanding and use of ges nonverbal communication. 	tion; to abnormalities in eye c	ontact and body			
Deficits in developing, maintaining, and understandi adjusting behavior to suit various social contexts; to friends; to absence of interest in peers.		• •			
Social communication domain severity rating (check			(1)	(2)	(3)
(1) Requires support (2) Substantial su	upport (3) Very substantial s	upport			
B. Restricted, repetitive patterns of behavior, interests, the following, currently or by history:	or activities as manifested by	at least two of	Prese	nt	Not present
 Stereotyped or repetitive motor movements, use of lining up toys or flipping objects, echolalia, idiosyncr 		le motor stereotypies,			
Insistence on sameness, inflexible adherence to rou behavior (e.g., extreme distress at small changes, di greeting rituals, need to take same route or eat sam	fficulties with transitions, rigio				
Highly restricted, fixated interests that are abnorma preoccupation with unusual objects, excessively circ		_			
 Hyper-or hyporeactivity to sensory input or unusual apparent indifference to pain/temperature, adverse smelling or touching of objects, visual fascination wi 	response to specific sounds of				
Restricted, repetitive behaviors domain severity rating (ch	neck one)[see DSM-5 page 52	for severity description]):	(1)	(2)	(3)
(1) Requires support (2) Substantial su		unnort			
	upport (3) Very substantial s	иррогі			_
	upport (3) Very substantial s	иррогі	Yes		No
C. Symptoms must be present in the early developmental demands exceed limited capacities, or may be masked by	period (but may not become f	ully manifest until social	 		No





E. These disturbances are not better explained by intellectual disability or global developmental delay.

Clinical diagnosis: DSM-5 diagnostic checklist

DSM-5 criteria		
Autism Spectrum Disorder criteria met?	Yes	No
With or without intellectual impairment?	With	Without
With or without language impairment?	With	Without
Known comorbid conditions (medical/genetic/neurodevelopmental diagnosis; mental/behavioral diagnosis; other)		
Date of diagnosis:		
Provider name:		
Provider credentials:		
Signature: Date:		

How to submit: Civilian providers and military hospitals or clinics should submit via provider self-service at **HumanaMilitary.com** or fax to (877) 378-2316.



